

Wendron

C of E Primary School



Accessibility Plan

| | |
|-----------------------------------|--------------|
| Version Number | V2 |
| Date Adopted by Governors | October 2025 |
| Scheduled Review Date | October 2028 |
| Statutory or Best Practice Policy | Statutory |
| School or Trust Policy | School |

We want to ensure that your needs are met.
If you would like this information in any other format, please contact us on
01637 303106 or email info@kernowlearning.co.uk.

#AsOne
Kernow Learning

The Disability Access Plan addresses and recognises the requirements of the Equality Act 2010 (Disability Discrimination Act (DDA) 1995 AND 2005). The plan identifies work required in order to give all disabled users access to all parts of the building and includes recommendations for required remedial actions, ongoing monitoring and control measures that illustrate good practice in terms of meeting the needs of disabled people.

Purpose of the Plan

The purpose of this plan is to show how Wendron C of E Primary School intends, over time, to increase the accessibility of our school. We will continue to improve all aspects of the physical environment of the school site, the curriculum and written information so that all students with a disability can take full advantage of the education and associated opportunities provided by Wendron C of E Primary School.

Definition of disability

A person has a disability if he or she has a physical or mental impairment that has a substantial and long- term adverse effect on his or her ability to carry out normal day-to-day activities.

Key Objective

To reduce and eliminate barriers for access to the curriculum and to full participation in the school community for pupils, and prospective pupils, with a disability.

Principles

Compliance with the DDA is consistent with our school's aims and equal opportunities policy and SEND&I policies.

The school recognises its duty under the DDA:

Not to discriminate against disabled pupils in their admissions and exclusions, and provision of education and associated services

Not to treat disabled pupils less favourably

To take reasonable steps to avoid putting disabled pupils at a substantial disadvantage

To publish an accessibility plan

In performing their duties, governors and staff will have regard to the DRC Code of Practice.

The schools recognises and values parents' knowledge of their child's disability and its effect on his/her ability to carry out normal activities, and respects the parents' and child's right to confidentiality

The school provides all pupils with a broad and balanced curriculum, differentiated, and adjusted to meet the needs of individual pupils and their preferred learning styles; and endorses the key principles in the National Curriculum Framework, which underpin the development of a more inclusive curriculum

Setting suitable learning challenges of Responding to pupils 'diverse learning needs to Overcoming potential barriers to learning and assessment for individuals and groups of pupils

Increasing Access for disabled pupils to the school curriculum

This includes teaching and learning and the wider curriculum of the school such as participation in after school clubs, leisure and cultural activities or school visits.

Improving teaching and learning lies at the heart of our school. Through self-review and continuous professional development, we aim to enhance staff knowledge, skills and understanding



to promote excellent teaching and learning for all children. We aim to meet every child's needs within mixed ability, inclusive classes.

It is a core value of our school that all children are enabled to participate fully in the broader life of the school. Consequently, all children can attend age relevant after school clubs, leisure and cultural activities or school visits.

Improving access to the physical environment of the school

This includes improvements to the physical environment of the school and physical aids to access education.

We have made appropriate changes to the building to meet the needs of the pupils. Provision, in exceptional cases, will be negotiated when the child's specific needs are known. We have a wide range of equipment and resources suitable for the day-to-day use of children in the age range. The School Improvement Plan process will consider such needs on an annual basis.

Improving the delivery of written information to disabled pupils

This will include planning to make written information that is normally provided by the school to its pupils available to disabled pupils. Examples might include handouts, timetables, textbooks, and information about school events. The information should take account of pupils' disabilities and pupils' and parents' preferred formats and be made available within a reasonable time frame. In planning to make written information available to disabled pupils, we again need to establish the level of current need and be able to respond swiftly to changes in the range of need. For example, it would be a misuse of finite school resources to commit funding to providing Braille or large print versions of all school materials (identified in italics above) if there are no children on roll who need such access. Such expensive resources might sit unused, eventually becoming out of date. However, the school will need to identify agencies and sources of such materials to be able to make provision whenever it is required. Clearly, the school's sophisticated ICT infrastructure will enable us to access a range of materials supportive to needs.

Teachers will always need to be sensitive to presenting materials to children in appropriate formats e.g. reading aloud, overhead projections, should that be necessary. This is a core part of a teacher's work.

Financial Planning and control

The headteacher and the governors will review the financial implications of the accessibility plan as part of the normal budget review process.

Wendron C of E Primary School

Wendron C of E Primary School is a Church of England school with approximately 105 children on roll whose ages range from 4 -11 years. The school building was built in 2004. The building is on one level and as such is easily accessible by all. The school has four classrooms, each with their own cloakroom area. There is a large hall that is used for PE, assemblies and lunch time. The library is well stocked with lots of books for children to choose from which the children may choose to read. There is an accessible toilet and a separate medical room complete with shower, toilet and changing facilities.

Outside there are two adventure play areas (EYFS and rest of the school), two tarmac playgrounds, a covered outdoor learning space with ramp access, an EYFS outdoor learning area and a forest school area. The large field is used on dry days for playtime and for games lessons. The grounds are well laid out and comprise various raised beds for the children's gardening club. All outdoor



areas are accessible, and gated areas being wide enough for wheelchair users.

APPENDIX A – 1 of 9

Approach and Car Parking

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|----|--|---|---|--------------|
| 1 | Is the building within convenient distance of a public highway? | ✓ | | |
| 2 | Is the building within convenient distance of public transport? | ✓ | | |
| 3 | Is the building within convenient distance of car parking? | ✓ | | |
| 4 | Is the route clearly marked/found? | ✓ | | |
| 5 | Is the route free of kerbs? | ✓ | | |
| 6 | Is the surface smooth and slip resistant? | ✓ | | |
| 7 | Is the route wide enough? | ✓ | | |
| 8 | Is it free of such hazards as bollards, litter bins, outward opening windows and doors or overhanging projections? | ✓ | | |
| 9 | Is it adequately lit? | ✓ | | |
| 10 | Is it identified by visual, audible and tactile information? | ✓ | | Visual only. |
| 11 | Is there car parking for people with reduced mobility? | ✓ | | |
| 12 | Is the car parking clearly marked out, signed, easily found and kept free from misuse? | ✓ | | |
| 13 | Is the car parking as near the entrance as possible? | ✓ | | |
| 14 | Is the car parking suitably surfaced? | ✓ | | |
| 15 | Is the route to the building kept free of snow, ice and fallen leaves? | ✓ | | |
| 16 | Is the route level? (ie no gradient steeper than 1:20 and no steps) | ✓ | | |

General Notes for approach and parking:

*No clear markings painted on car park (Playground), indicating walkways, direction of traffic, allocated parking etc.

* Clear signage of reception area close to the reception – consider additional signage nearer to main car park (next to notice board on preschool fence?)

APPENDIX A – 2 of 9

Routes and external level change including ramps and steps

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|----|---|-----|-----|--------------|
| 1 | Is there a ramp, with level surfaces at top/intermediate/bottom? | n/a | n/a | |
| 2 | Is it wide enough and suitably graded? | n/a | n/a | |
| 3 | Is the surface slip resistant? | n/a | n/a | |
| 4 | Are there kerbs and are there edges protected to prevent accidents? | n/a | n/a | |
| 5 | Are there handrails to one or both sides? | n/a | n/a | |
| 6 | Are there (alternative) steps & ramp | n/a | n/a | |
| 7 | Identified by visual/tactile information? | n/a | n/a | |
| 8 | Are there handrails to one or both sides? | n/a | n/a | |
| 9 | Are ramps and steps adequately lit? | n/a | n/a | |
| 10 | Are treads and risers consistent in depth and height? | n/a | n/a | |
| 11 | Are all nosings marked and/or readily identifiable? | n/a | n/a | |
| 12 | Are landings of adequate size and are they provided at intermediate levels in long flights? | n/a | n/a | |

General Notes for routes and external level change including ramps and steps:

The school is on a level site and has fully accessible doorways.

APPENDIX A – 3 of 9

Entrances – including Reception

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|----|--|-----|-----|---------------------|
| 1 | Is the door clearly distinguishable from the façade? | ✓ | | |
| 2 | If glass, is it visible when closed? | ✓ | | |
| 3 | Does the clear door opening or one leaf when opened permit passage of a wheelchair or double buggy? | ✓ | | |
| 4 | Does it have a level or flush threshold, and a recessed matwell? | ✓ | | |
| 5 | Is there visibility through the doorway from both sides at standing and seated levels? | ✓ | | |
| 6 | Is there a minimum 300mm wide wheelchair manoeuvre space beside the leading edge of the door to clear door swing? | ✓ | | |
| 7 | Can the door furniture be used at both standing and seated height? | ✓ | | |
| 8 | Can it be easily grasped and operated? | ✓ | | |
| 9 | If the door has a closer mechanism does it have: <ul style="list-style-type: none"> • Delayed closure action? • Slow-action closer? • Minimal closure pressure? | n/a | n/a | No closer mechanism |
| 10 | If the door is power-operated does it have visual and tactile information? | n/a | n/a | Not power operated |
| 11 | If the door is security-protected is the system suitable for use by and within reach of people with sensory or mobility impairments? | ✓ | | |
| 12 | If there is a lobby, do the inner and outer doors meet the same criteria? | ✓ | | |
| 13 | Do lobby layouts enable all users to clear one door before going through the next? | ✓ | | |
| 14 | Are signs designed and positioned to inform those with visual impairments and wheelchair users with reduced eye levels? | ✓ | | |
| 15 | Does the lighting installation take account of the needs of visually disabled people? | ✓ | | |
| 16 | Are floor spaces <ul style="list-style-type: none"> • Slip resistant, even when wet? • Of a quality that is sympathetic to acoustics – ie not so ‘hard’ as to cause acoustic confusion? • Firm for wheelchair manoeuvre | ✓ | | |

| | | | | |
|----|---|---|---|--|
| 17 | Are junctions between floor surfaces arranged in a way that avoids presenting tripping hazards and causing visual confusion? | ✓ | | |
| 18 | Is any reception point suitable for approach and use from both sides by people in standing and seated positions? | ✓ | | |
| 19 | Is it fitted with an induction loop? | | ✓ | |
| 20 | For those progressing to other parts of the building is information provided by signs, supported by tactile information such as a map or model? | | ✓ | Maps of school form part of the fire escape information, located at fire exit signs. |

General Notes for entrances including reception:

*Consider having signage to head teachers office, disabled toilets etc by the entrance to the school from the foyer

APPENDIX A – 4 of 9

Horizontal Movement and Assembly

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|----|---|---|---|---|
| 1 | Is each corridor/passageway/aisle wide enough for a wheelchair user to manoeuvre and for other people to pass? | ✓ | | |
| 2 | Is each corridor etc. free from obstruction to wheelchair users and from hazards to people with impaired vision? | ✓ | | Recycling bins |
| 3 | Do any lobbies allow users (including wheelchair users) to clear one door before approaching the next with minimal manoeuvre | ✓ | | |
| 4 | Is turning space available for wheelchair users? | ✓ | | |
| 5 | Do natural and artificial lighting avoid glare and silhouetting? | ✓ | | |
| 6 | Are there visual clues for orientation? | ✓ | | Could be clearer and at a lower level. |
| 7 | Do floor surfaces: <ul style="list-style-type: none"> • Allow ease of movement for wheelchair users? • Avoid light reflection and sound reverberation? | ✓ | | |
| 8 | Are direction or information signs (including means of escape) visible from both sitting and standing eye levels, and are they in upper and lower case, and large enough type to be read by those with impaired vision? | ✓ | | Could be clearer and at a lower level. |
| 9 | Are there tactile signs and information for those with impaired vision? | | ✓ | Some brail signs around school but inconsistent |
| 10 | Is the maintenance of these items checked regularly? | ✓ | | |
| 11 | Is lighting designed to meet a wide range of needs? | ✓ | | |
| 12 | Is sufficient circulation space allowed for wheelchair users? | ✓ | | |
| 13 | Is it maintained clear of obstructions which could create hazards for people with visual disabilities? | ✓ | | |
| 14 | Are seating arrangements/spaces suitable for use by people with visual disabilities? | ✓ | | |
| 15 | Are all areas for assembly/meeting equipped with an induction loop system? | | ✓ | |

General Notes for horizontal movement and assembly:

*Use of Braille signs inconsistent across all school – this would be reviewed if the need arose in the future
*Consider position of recycling bins – again would be reviewed if need for wheelchair passing arose in the future.

APPENDIX A – 5 of 9

Doors

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|----|--|------------------|---|--------------|
| 1 | Do the doors serve a functional/safety purpose? | ✓ | | |
| 2 | If glass, are they visible when shut? | ✓ | | |
| 3 | Can people standing or sitting in a wheelchair see each other, and be seen from either side of the door? | ✓ | | |
| 4 | Does the clear opening width permit wheelchair access | ✓ | | |
| 5 | On the opening side of the door is there sufficient space (300mm) to allow the door handle to be grasped and the door swung past a wheelchair footplate? | ✓ | | |
| 6 | Is any door furniture/handle at a height for standing/sitting use? | ✓ | | |
| 7 | Are door/handles clearly distinguished? | ✓ | | |
| 8 | Can the door furniture/handles be easily operated/grasped? | ✓ | | |
| 9 | If door closers/mechanisms are fitted do they provide the following: <ul style="list-style-type: none"> • security linkage? • delay-action closure? • Slow-action closure? • Minimum closure pressure? | ✓ ✓ ✓ ✓ | | |
| 10 | Is door/mechanism function checked regularly? | ✓ | | |

General Notes for doors:

Appendix A – 6 of 9

Lavatories

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|----|---|----------|----------|---------------------|
| 1 | Is WC provision made for people with disabilities? | ✓ | | |
| 2 | Do all lavatory areas have slip-resistant floors? | ✓ | | |
| 3 | Are all fittings readily distinguishable from their background? | ✓ | | |
| 4 | Are all door fittings/locks easily gripped and operated? | ✓ | | |
| 5 | Can ambulant disabled people manoeuvre and raise and lower themselves in standard cubicles? | ✓ | | |
| 6 | Is provision made for wheelchair users in disabled toilets? | ✓ | | |
| 7 | Is wheelchair approach free of steps/narrow doors/obstructions etc? | ✓ | | |
| 8 | Is the location clearly signed? | ✓ | | Signage on doors |
| 9 | Is there sufficient space at entry to the compartment for wheelchair manoeuvre and door opening? | ✓ | | |
| 10 | Are the door fittings/locks and light switches easily reached and operated? | ✓ | | |
| 11 | Is there an emergency call system and is someone designated to respond? | ✓ | | |
| 12 | Can the emergency call system be operated from floor level? | ✓ | | |
| 13 | Is the wheelchair WC compartment large enough to permit manoeuvre for frontal lateral/angled/backward transfer, with or without assistance? | ✓ | | |
| 14 | Are the fittings arranged to facilitate these manoeuvres | ✓ | | |
| 15 | Are handwashing and drying facilities within reach of someone seated on the WC? | ✓ | | |
| 16 | Is the tap appropriate for use by someone with limited dexterity, grip or strength? | ✓ | | |
| 17 | Are suitable grab rails fitted in all the appropriate positions to facilitate use of the WC? | ✓ | | |
| 18 | Is the manoeuvring area free of obstruction, eg boxed-in pipework/radiators/cleaner's equipment/disposal bins/occasional storage, etc. and is any difficulty caused by the activity of service contractors? | ✓ | | |
| 19 | If there is more than one standard layout WC compartment provided, are they handed to offer a left-sided approach and a right-sided approach? | ✓ | | |



General Notes for lavatories:

APPENDIX A – 7 of 9

Fixtures and Fittings

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|---|---|---|---|--------------|
| 1 | Is any server/counter accessible to all users, including those with hearing impairments? | ✓ | | |
| 2 | Is it possible for people with disabilities to serve as volunteers? | ✓ | | |
| 3 | Where there are display stands, bookstalls etc. are they visible/reachable/accessible by people with disabilities? | ✓ | | |
| 4 | In any eating/meeting space do tables, chairs and the layout allow for use by wheelchair users and other people with disabilities? | ✓ | | |
| 5 | In any staff accommodation is it suitable for use by people with disabilities including wheelchair users with slip-resistant floor, reduced level kitchen units and sink and lever action taps? | | | N / A |
| 6 | Are all relevant locations clearly signed? | | | N / A |

General Notes for fixtures and fittings:

Limited room in Staff Room, chairs can be removed if required

APPENDIX A – 8 of 9

Information

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|---|--|---|---|--------------|
| 1 | Is the building equipped to provide hearing assistance? | | ✓ | |
| 2 | Does lighting installation of the building take into account the needs of people with visual disabilities? | ✓ | | |
| 3 | Are there large-print versions of information about the building/activities available? | | ✓ | |
| 4 | Is there braille information available for people with visual disabilities? | | ✓ | |

General Notes for information:

Large print versions and Braille versions of information are not available – to be made available on request

Consideration to be made for hearing assistance when the need arises.

APPENDIX A – 9 of 9

Means of Escape

Consider each question from the perspective of each type of disability:

| | Question | Y | N | Action Point |
|---|---|---|---|--------------|
| 1 | Is there a visible as well as audible fire alarm system? | | ✓ | |
| 2 | Are final exit routes as accessible to all, including wheelchair users, as are the entry routes? | ✓ | | |
| 3 | Is there a 'management evacuation strategy' for staff, pupils and visitors, and are staff trained in evacuation procedures? | ✓ | | |
| 4 | Is the evacuation strategy checked regularly for its effectiveness? | ✓ | | |
| 5 | Are evacuation routes checked routinely and regularly for freedom from combustible materials/obstacles/locked doors? | ✓ | | |
| 6 | Are all fire warning devices and detectors checked routinely and regularly | ✓ | | |

General Notes for information:

Visible fire alarm system to be explored

Appendix B

The accessibility plan shows how access is to be improved for students with disabilities, staff and visitors to the school in a given timeframe and anticipating the need to make reasonable adjustments to accommodate their needs where practicable. Following the audit in Appendix A the key actions are below:-

| Key Actions | | | | | |
|-------------|---|---|---------|----------------------|---------------|
| Term | Target | Strategy | Outcome | Time Frame | Goal Achieved |
| Long Term | <p>Large print and braille versions of information to be made available if and when necessary.</p> <p>Signage across the school will be consistent, clear, well positioned and accessible to all.</p> | <p>Ensure tactile information is provided when necessary. Ensure staff know how to access such materials.</p> <p>Consider the position and detail of signage across the school</p> <ul style="list-style-type: none"> - accurate maps of school buildings and grounds - disabled toilets - wheel chair friendly exits and entrances - additional signage for reception area closer to car park - alternative slopes/ lift at the top and bottom of steps | | As and when required | |

Summary

Wendron C of E Primary School is an accessible school and site.

Actions flagged are long term targets requiring small amounts of expenditure in the purchase or preparation of fixtures, fittings and signage. These actions could be addressed relatively quickly if required.

